Advantages & Benefits
Good adherence to indoor & outdoor surfaces, e. g. factory floors, machines, trucks, ladders, stairs etc. in building- and constuction sites, public and private areas
High anti-slip effect up to 2 years in normal, non-public areas
Hand tearable and removable in one piece, no shrinkage after application
Excellent for indoor & outdoor usage (-10 °C up to +50 °C), even with contact to salt water, e. g. on ships, yachts, landing stages etc.
Creates safe footing in shaded, or even totally dark surroundings. When charging the tape by UV-light the whole day, fluorescence will glow approx. 6 - 8 hours.



Technical Data	
Total thickness [µm]	810
Adhesion [N/25 mm]	25
Elongation at break [%]	200

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa AG can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to advise you.

HEADQUARTER

tesa AG

 Quickbornstrasse 24

 D-20253 Hamburg, Germany

 Phone:
 +49 40 4909 101

 Fax:
 +49 40 4909 6060

 www.tesa.com





tesa – More Safety Step by Step

Professional Anti-Slip Solutions for More Safety ASSORTMENT



tesa® Anti-Slip – A Step Ahead for more Safety

- Extremely strong and durable tapes
- Very strong adhesion, up to 2 years
- Resistant against cleanser, water, salt water, temperatures and UV-light



tesa® Anti-Slip tapes are the best choice wherever secure footing and safe steps are required. These self-adhesive tapes prevent skidding and help to avoid accidents and injuries in all business fields and private surroundings.



Application areas:

- Building- & construction sites: e. g. scaffoldings, ladders, loading platforms
- Public buildings: e. g. hotels, restaurants, shopping malls, theatres, concert halls, warehouses, offices
- **Transportation:** e. g. buses, trucks, boats, landing stages
- **Sports:** e. g. arenas, audience ranks, swimming pools, humid areas and in showers

The strong abrasive aluminiumoxyd coating on an extreme stable PVC backing ensures safety step by step.





Anti-Slip 60950 – Black	(
	- 3 sizes in decent k - Perfect for offices		areas		
	Sizes and Packaging m:mm	15:25	15:50	15:100	
	Content pcs. IP/OP	6/36	3/18	3/9	
a® Anti-Slip 60951 – Yellov	w/Black				
	 Two-colour-warnin industrial areas, wa Securing and warr 	arehouses	etc.	-	
	Sizes and Packaging				
	m:mm Content pcs. IP/OP	15:50 3/18			
a® Anti-Slip 60952 – Trans	sparent				
	- Inconspicuous app	 Inconspicuous application where required, e. g. on wooden stairs and steps 			
	Sizes and Packaging				
	m:mm Content pcs. IP/OP	15:25 6/36			
	oontone pos. In you	0,00			
® Anti-Slip 60953 – Fluor	escent				
	Securing and warr areas.Tape glows in the		dy and o	dark	
	Sizes and Packaging	15.05			
	m:mm Content pcs. IP/OP	15:25 6/36			